


# CASOLUX®

*The lights of tomorrow*





## Introduction

Over the years Casolux has shown the way to innovative design within marine lighting by focusing on individuality, reliability and quality- three words that demonstrate the assurance that we have given our customers since the company was founded in 2012.

Thanks to our excellent staff, we have continued to keep this commitment, earning a more and more prominent position year on year, in a global market for marine lights for yacht and naval vessel.

This success would not have been possible without our employees` experience, technical skills and passion for design. developing lights that are perfectly tailored to meet each customer/ yard`s individual wishes and specific requirements.

The key factor that sets us apart, is by listening to our customers we are able to offer high flexibility, choice and innovation, from concept to finished product.

All processes are incorporated at our premises which include a component warehouse, product assembly, stock inventory, testing and show room.

Casolux have built their company by understanding the design and demands of marine lights, and through the pursuance of excellence, aim to become leaders within the industry.

info@casolux.com

Tlf. +45 7445 0005

Denmark - 6400 Sønderborg

# CASOLUX®

*The lights of tomorrow*



Page


	— 4-17 —	Small Craft Lights
	— 18-23 —	Customized Reading Lights
	— 24-30 —	Reading and Wall Lights
	— 31-39 —	Mega Yacht Lights
	— 40-43 —	Motorhome Lights
	— 44-49 —	LED Strips
	— 50-53 —	Flood, Machine-room and Underwater Lights
	— 54 —	Reserve light bulbs

- |                                                                                                              |                                                                                                                 |                                                                                                              |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|  Suitable for Small Crafts |  IP grade                    |  Led driver             |
|  Suitable for Mega Yacht   |  Lumen output per watt       |  Color rendering index  |
|  Suitable for Motorhomes   |  Color temperature in Kelvin |  LED's lifetime         |
|  Red color light           |  Beam angle                  |  For indoor use         |
|  Blue color light          |  Dimmable                    |  For indoor and outdoor |
|  Red / WW switchable light |  USB charger                 |  For underwater use     |

**Disclaimer:**  
Casolux assumes no responsibility or liability for any errors, omissions or changes towards this catalog.

## Small Craft Lights

### Maria - A1



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	4,5	4,5
D	52	70
E	19	19




Stainless Steel (SS) Optional with brushed surface    Black (BL)    Grey (GR)    White (WH)



Product	Size	Frame	Power	Input Volt	Material
MARIA-A1	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A1	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A1	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

### Maria - A3



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	7	7
D	52	70
E	16	16




Stainless Steel (SS) Optional with brushed surface    Black (BL)    Grey (GR)    White (WH)



Product	Size	Frame	Power	Input Volt	Material
MARIA-A3	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A3	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A3	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

### Maria - A4 - 2700K - Ra90




Stainless Steel (SS) Optional with brushed surface    Black (BL)    Grey (GR)    White (WH)



Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu



## Maria - A4 - Standard



mm	SMALL	MEDIUM	LARGE
A	69,5	82	86
B	40,5	50	55
C	2	3	3
D	52	62	70
E	19	19	19



Stainless Steel (SS)  
Optional with brushed surface



Black (BL)




Grey (GR)



White (WH)

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A4	MEDIUM	BL / GR / WH	2,5w	10-32 V AC/DC	Alu
MARIA-A4	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

## Maria - A4 - Standard with DUO colour



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	2	3
D	52	70
E	19	19



Stainless Steel (SS)  
Optional with brushed surface



Black (BL)



Grey (GR)




White (WH)

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-DUO	SMALL	SS / BL / GR / WH	2w/0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO	LARGE	SS / BL / GR / WH	3w/0,5w	10-32 V AC/DC	SS/Alu

## Maria - A4 - Touch



ON / OFF  
with touch



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	2	3
D	52	70
E	19	19



Stainless Steel (SS)  
Optional with brushed surface



Black (BL)




Grey (GR)




White (WH)

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-CTO	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTO	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO-CTO	SMALL	SS / BL / GR / WH	2w/0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO-CTO	LARGE	SS / BL / GR / WH	3w 0,5w	10-32 V AC/DC	SS/Alu

## Maria - A4 - Touch with Dim Memory



ON / OFF /  
DIMMING  
with touch.  
Hold for  
dimming.



Stainless Steel (SS)  
Optional with brushed surface



Black (BL)



Grey (GR)




White (WH)

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-CTDI	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTDI	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu

# Casolux Marine light


Marine light system

## Maria - A4 - Small - Ø90



Product	Frame	Power	Input Volt	Material
MARIA-A4-2W	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO	SS / BL / GR / WH	2w / 0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-2,5W	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTO	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO-CTO	SS / BL / GR / WH	2w / 0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTDI	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu

## Maria - A4 - Medium - Ø90



Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	Medium	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu




Copyright N. krauss/Hamburg



## Maria - A4 - Xsmall



News





Product	Frame	Power	Input Volt	Material
MARIA-A4-XSMALL	SS / BL / GR / WH	0,5w	10-30 V DC	SS/Alu

## Maria - A4 - 6w



News




Product	Frame	Power	Input Volt	Material
MARIA-A4-6W	SS / BL / GR / WH	6w	10-30 V DC	SS/Alu

## Maria - A4 - Surface



News



Product	Frame	Power	Input Volt	Material
MARIA-A4-SURFACE	SS / WH	2w	10-32 V DC	SS/Alu

# Casolux Marine light

Marine light system

Copyright N. krauss/Hamburg




## Malou Controller IP20



ON / OFF  
Press for  
Dimming.

WW/RED: Double  
click to change  
colour.



Stainless steel (SS)



Stainless steel  
Painted White (SS-WH)



Stainless steel  
Painted Black (SS-BL)

One Controller can control up to 15 receivers.




Product	Frame	Power	Input Volt	Material
MALOU-MA	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-MA-DUO	SS / SS-WH / SS-BL	3w / 3w	9-32 V DC	SS/Alu

## Malou Controller IP64



ON / OFF  
Press for  
Dimming.

WW/RED: Double  
click to change  
colour.



Stainless steel (SS)



Stainless steel  
Painted White (SS-WH)



Stainless steel  
Painted Black (SS-BL)

One Controller can control up to 15 receivers.




Product	Frame	Power	Input Volt	Material
MALOU-MA-IP64	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-MA-IP64-DUO	SS / SS-WH / SS-BL	3w / 3w	9-32 V DC	SS/Alu

## Malou Receiver



ON / OFF  
Press for  
Dimming.



Stainless steel (SS)



Stainless steel  
Painted White (SS-WH)



Stainless steel  
Painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
MALOU-SL	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-SL-DUO	SS / SS-WH / SS-BL	3w / 3w	9-32 V DC	SS/Alu




## Malou Controller IP20 - Surface mounted



ON / OFF  
Press for  
Dimming.

WW/RED: Double  
click to change  
colour.



Stainless steel (SS)

One Controller can control up to 15 receivers.




Product	Frame	Power	Input Volt	Material
MALOU-MA-SURFACE	SS	3w	9-32 V DC	SS/Alu
MALOU-MA-SURFACE-DUO	SS	3w/3w	9-32 V DC	SS/Alu

## Malou Controller IP64 - Surface mounted



ON / OFF  
Press for  
Dimming.

WW/RED: Double  
click to change  
colour.




Stainless steel (SS)

One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
MALOU-MA-IP64-SUR	SS	3w	9-32 V DC	SS/Alu
MALOU-MA-IP64-SUR-DUO	SS	3w/3w	9-32 V DC	SS/Alu

## Malou Receiver - Surface mounted



Stainless steel (SS)




Product	Frame	Power	Input Volt	Material
MALOU-SL-SUR	SS	3w	9-32 V DC	SS/Alu
MALOU-SL-SUR-DUO	SS	3w/3w	9-32 V DC	SS/Alu

# Casolux Marine light

Marine light system

## Maja - Surface mounted




MAJA-SURFACE-SMALL Stainless steel (SS)      MAJA-SURFACE-LARGE Stainless steel (SS)



Product	Frame	Power	Input	Material
MAJA-SURFACE-SMALL	SS	3,6w	10-32 V DC	SS/Alu
MAJA-SURFACE-SMALL DUO	SS	3,6w/1,8w	10-32 V DC	SS/Alu
MAJA-SURFACE-LARGE	SS	3,6w	10-32 V DC	SS/Alu
MAJA-SURFACE-LARGE DUO	SS	3,6w/1,8w	10-32 V DC	SS/Alu

Large version is only manufactured on request. Contact Casolux for more information.

## Maggi - Surface mounted




Stainless steel (SS)



Product	Frame	Power	Input	Material
MAGGI-SURFACE	SS	3w	10-18 V DC Optional 10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

## Medina - Surface mounted



Aluminium Grey (GR)




Product	Frame	Power	Input	Material
MEDINA-SURFACE	GR	1w	10-32 V DC	Alu



Copyright Hasseblad H5D



## Maja Round



Stainless steel (SS)




Stainless steel  
Painted White (SS-WH)



Product	Frame	Power	Input Volt	Material
MAJA-ROUND	SS / SS-WH	3,6w	10-32 V DC	SS/Alu
MARIA-ROUND-DUO	SS / SS-WH	3,6w/1,8w	10-32 V DC	SS/Alu

## Maja Square



Stainless steel (SS)



Stainless steel  
Painted White (SS-WH)




Product	Frame	Power	Input Volt	Material
MAJA-SQUARE	SS / SS-WH	3,6w	10-32 V DC	SS/Alu
MARIA-SQUARE-DUO	SS / SS-WH	3,6w/1,8w	10-32 V DC	SS/Alu

## Maggi Small




White (WH)



Product	IP	CCT	Frame	Power	Input Volt	Material
MAGGI	44	2700K	WH	3,5w	10-32 V DC	Alu
MAGGI	66	3000K	WH	3w	10-32 V DC	Alu

## Maggi Ø69




Product	Frame	Power	Input Volt	Material
MAGGI-LARGE	SS	3w	10-18 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

# Casolux Marine light

Marine light system


## Mie



IP 54	angle 25°	Lm/w 343	H 40 000	CCT 2700 K	CRI >85	Dim PWM	Indoor
-------	-----------	----------	----------	------------	---------	---------	--------

Product	Frame	Power	Input Volt	Material
MIE	WH	3w	10-30 V DC	Alu

## Magda





Stainless Steel (SS)


IP 65	angle 90°	Lm/w 75	H 40 000	CCT 3000 K	CRI >85	Dim PWM	Indoor/Outdoor
-------	-----------	---------	----------	------------	---------	---------	----------------

Product	Frame	Power	Input Volt	Material
MAGDA	SS	4,4w	10-30 V DC	SS/Alu

## Malou 82




Stainless steel (SS)



Stainless steel Painted White (SS-WH)



Stainless steel Painted Black (SS-BL)



Optional with square frame.  
SQUARE RECT FRAME  
SQUARE OVAL FRAME



IP 65	angle 120°	Lm/w 95	H 50 000	CCT 3000 K	CCT WW/RED	CRI >85	Dim PWM	Indoor/Outdoor
-------	------------	---------	----------	------------	------------	---------	---------	----------------

Product	Frame	Power	Input	Material
MALOU-82	SS / SS-WH / SS-BL	4,5w	10-32 V DC	SS/Alu
MALOU-82-DUO	SS / SS-WH / SS-BL	3,6w/0,6w	10-32 V DC	SS/Alu





## Mathilde Small




Aluminium (Alu)



Product	Frame	Power	Input Volt	Material
MATHILDE-SMALL	Alu	1,2w	350mA / 10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

## Mathilde Sphere




Stainless Steel (SS)



Product	Frame	Power	Input Volt	Material
MATHILDE-SPHERE	SS	1,5w	10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

## Mathilde




Stainless Steel (SS)



Product	Frame	Power	Input Volt	Material
MATHILDE	SS	2,4w	10-32 V DC	SS/Alu

## Mathilde Large



Stainless Steel (SS)  
Round (RO)



Stainless Steel (SS)  
Square (SQ)




Product	Frame	Power	Input Volt	Material
MATHILDE-LARGE-RO	SS	4w	10-32 V DC	SS/Alu
MATHILDE-LARGE-SQ	SS	4w	10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

# Casolux Marine light

Marine light system

## Marina Push Up Table light




Stainless Steel (SS)



Product	Power	Input	Material
MARINA	4w	10-32 V DC	SS

## Merle front




Stainless Steel (SS)  
Optional with brushed surface



Product	Power	Input	Material
MERLE-FRONT-3000K	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-FRONT-RED	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-FRONT-BLUE	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS

## Merle down





Stainless Steel (SS)  
Optional with brushed surface



Product	Power	Input	Material
MERLE-DOWN-3000K	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-RED	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-BLUE	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-DUO	0,5w / 0,5w	10-18 V DC / 18-30 V DC	SS

## Cleo Special



CLWO-SPECIAL-SQUARE  
Stainless Steel (SS)

CLEO-SPECIAL-ROUND  
Stainless Steel (SS)


Can be manufactured  
on request



Product	CCT	Power	Input	Material
CLEO-SPECIAL-ROUND	3000K	3w	10-32 V DC	Alu/SS
CLEO-SPECIAL-SQUARE-WW	3000K	3w	10-32 V DC	Alu/SS
CLEO-SPECIAL-SQUARE-CW	4000K	3w	10-32 V DC	Alu/SS



## Cleo Round



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)




Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-ROUND	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic

## Cleo Round 25°



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)





Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-ROUND-25	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic


## Cleo Square



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)




Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-SQUARE	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic

## Cleo Square 34°



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)



Stainless Steel painted Black (SS-BL)




Product	Frame	Power	Input Volt	Material
CLEO-SQUARE-34	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic

# Casolux Marine light

Marine light system

## Mille




Stainless Steel (SS)



Product	Power	Input	Material
MILLE-3000K	0,2w	10-30 V DC	SS
MILLE-RED	0,2w	10-30 V DC	SS
MILLE-BLUE	0,2w	10-30 V DC	SS

## Milla



MILLA-ROUND  
Stainless Steel (SS)




MILLA-SQUARE  
Stainless Steel (SS)



Product	Frame	Power	Input	Material
MILLA-ROUND	SS	1,2w	10-32 V DC	Alu/SS
MILLA-SQUARE	SS	1,2w	10-32 V DC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Milo Half




Stainless Steel (SS)



Product	Frame	Power	Input	Material
MILO-HALF	SS	1,5w	10-32 V DC	SS

Only manufactured on request. Contact Casolux for more information.

## Milo



Stainless Steel (SS)




Product	Frame	Power	Input	Material
MILO	SS	1,5w	10-32 V DC	SS

Only manufactured on request. Contact Casolux for more information.



## Mateo



MATEO-ROUND  
Stainless Steel (SS)




MATEO-SQUARE  
Stainless Steel (SS)



Product	Frame	Power	Input	Material
MATEO-ROUND	SS	1,2w	10-32 V DC	Alu/SS
MATEO-SQUARE	SS	1,2w	10-32 V DC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Mai




Stainless Steel (SS)



Product	Power	Input	Material
MAI-SMALL	0,3w	10-32V DC	SS

## Max Standard




Stainless Steel (SS)

Start with Red light On / Off, Blue light On / Off, White light On / Off



Product	Power	Input	Material
MAX-STANDARD-WW	3,6w	10-32V DC	SS
MAX-STANDARD-WW-R-B	3,6w / 1w / 1w	10-32V DC	SS

## Max Special




Stainless Steel (SS)  
Clear lens (CL)



Stainless Steel (SS)  
Milky lens (ML)

Start with White light On / Off, Red light On / Off



Product	Power	Input	Material
MAX-SPECIAL-CL	2,6w / 1w	10-32V DC	SS
MAX-SPECIAL-ML	2,6w / 1w	10-32V DC	SS

## Customized Reading lights in stainless steel

Malene, Martha and Mary stainless steel lights can be customized with different base and flexarm after your desire and needs

The lamp head and flexarm can be assembled with 2 different versions of lamp bases. Wall model for mounting on a vertical surface and Table model for mounting on a horizontal surface.

Lamp bases have USB A or USB C charger.

All flexarms are made with stainless steel inner core and brass chrome plate outside. Flexarm can be covered with leather or silicone in different color available to match your specific design style, or a specific color can be customized on request.

White Silicone

Black Silicone

Chrome

# Customized Reading lights in aluminium

Malene and Mary aluminium lights can be customized with different base and flexarm after your desire and needs

Our flexarms come in basic lengths of 130mm, 200mm and 290mm, however other lengths can be customized on request.



130mm

200mm

290mm

Black Leather

Light Brown Leather

Dark Brown Leather




	Short code	Standard	Small	Mini
 White Silicone	S-WH	290mm	200mm	130mm
 Black Silicone	S-BL	290mm	200mm	130mm
 Stainless Steel	SS	290mm	200mm	130mm
 Black Leather	L-BL	290mm	200mm	130mm
 Light Brown Leather	L-LIBR	290mm	200mm	130mm
 Dark Brown Leather	L-DRBR	290mm	200mm	130mm

# Casolux Marine light

Marine light system

Copyright N. Krauss/Hamburg




On / Off Touch switch.  
Hold for dimming.

Dimming function remember your last setting after being turned off.

	Short code	Standard	Small	Mini
White Silicone	S-WH	290mm	200mm	130mm
Black Silicone	S-BL	290mm	200mm	130mm
Stainless Steel	SS	290mm	200mm	130mm
Black Leather	L-BL	290mm	200mm	130mm
Light Brown Leather	L-LIBR	290mm	200mm	130mm
Dark Brown Leather	L-DRBR	290mm	200mm	130mm

## Martha Wall - w/USB / Touch Dim / Memory




MARTHA-WALL  
Stainless steel (SS)



Product	Finish	Power	Input	Material
MARTHA-WALL-USB-A	SS	1,5w	10-30 V DC	SS
MARTHA-WALL-USB-C	SS	1,8w	10-30 V DC	SS

## Martha Glass Wall - w/USB / Touch Dim / Memory




MARTHA-GLASS-WALL  
Stainless steel  
Mirror polished (SS-PO)

MARTHA-GLASS-WALL  
Stainless steel  
Brushed surface (SS-BR)



Product	Finish	Power	Input	Material
MARTHA-GLASS-WALL-USB-A	SS-PO / SS-BR	2,5w	10-30 V DC	SS
MARTHA-GLASS-WALL-USB-C	SS-PO	2,5w	10-30 V DC	SS

## Mary Wall - w/USB / Touch Dim / Memory



MARY-WALL  
Stainless Steel (SS)

MARY-WALL  
Black (BL)


MARY-WALL  
Grey (GR)



Product	Finish	Power	Input	Material
MARY-WALL	SS	1,8w	10-30 V DC	SS
MARY-WALL	BL / GR	1,5w	10-30 V DC	Alu



## Martha-Circlebase - w/USB-C / Touch Dim / Memory



On / Off Touch switch.  
Hold for dimming.


Dimming function remember your last setting after being turned off.



Product	Flex	Power	Input	Material
MARTHA-CB-FLEX	L-BL-290	2,5w	10-30 V DC	SS


Only manufactured on request. Contact Casolux for more information.

## Martha Flex - w/USB / Touch Dim / Memory




Product	Flex	Power	Input	Material
MARTHA-FLEX-TABLEBASE	SS-290	1,5w	10-30 V DC	SS
MARTHA-FLEX-WALLBASE	SS-290	1,5w	10-30 V DC	SS

## Martha Glass Flex - w/USB / Touch Dim / Memory



Product	Flex	Power	Input	Material
MARTHA-GLASS-FLEX-TABLEBASE	SS-290	1,5 / 2,5w	10-30 V DC	SS
MARTHA-GLASS-FLEX-WALLBASE	SS-290	1,5 / 2,5w	10-30 V DC	SS

## Mary Flex - w/USB / Touch Dim / Memory



Product	Flex	Power	Input	Material
MARY-FLEX-SS-TABLEBASE	SS-290	1,8w	10-30 V DC	SS
MARY-FLEX-SS-WALLBASE	SS-290	1,8w	10-30 V DC	SS
MARY-FLEX-BL-TABLEBASE	SS-200	1,5w	10-30 V DC	Alu
MARY-FLEX-GR-TABLEBASE	SS-200	1,5w	10-30 V DC	Alu

# Casolux Marine light

Marine light system




Copyright N. Krauss/Hamburg



Touch switch to change between white and red light.  
Hold for dimming on white light.  
Dimming function remember your last setting after being turned off.


	Short code	Standard	Small	Mini
White Silicone	S-WH	290mm	200mm	130mm
Black Silicone	S-BL	290mm	200mm	130mm
Stainless Steel	SS	290mm	200mm	130mm
Black Leather	L-BL	290mm	200mm	130mm
Light Brown Leather	L-LIBR	290mm	200mm	130mm
Dark Brown Leather	L-DRBR	290mm	200mm	130mm

## Malene Stainless Steel - w/USB / Touch Dim / Memory




Product	Flex	Power	Input	Material
MALENE-TABLE-SS	SS-290	2w	10-29 V DC	SS
MALENE-WALL-SS	L-DRBR-290	2w	10-29 V DC	SS

## Malene Black Aluminium - w/USB / Touch Dim / Memory



Product	Flex	Power	Input	Material
MALENE-TABLE-BLACK	S-BL-290	2w	10-29 V DC	Alu
MALENE-WALL-BLACK	L-BL-290	2w	10-29 V DC	SS


## Malene Flatbase - Touch Dim / Memory



Product	Flex	Power	Input	Material
MALENE-FLATBASE-SS	S-WH-290	2w	10-29 V DC	SS




## Malene Circle Base - w/USB / Touch Dim / Memory



IP 20	angle 110°	Lm/w 77	H 50 000	CCT WW/RED	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	------------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Flex	Power	Input	Material
MALENE-CB-BL	L-BL-290	2w	10-29 V DC	ALU
MALENE-CB-CH	S-BL-290	2w	10-29 V DC	SS / ALU


## Malene Screwless Table - w/USB / Touch Dim / Memory



IP 20	angle 110°	Lm/w 77	H 50 000	CCT WW/RED	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	------------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Flex	Power	Input	Material
MALENE-SL-BL-TABLE	S-BL-290	2w	10-29 V DC	ALU

## Malene Screwless Wall - w/USB / Touch Dim / Memory



IP 20	angle 110°	Lm/w 77	H 50 000	CCT WW/RED	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	------------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Flex	Power	Input	Material
MALENE-SL-WH-WALL	S-WH-290	2w	10-29 V DC	ALU
MALENE-SL-A-SS-WALL	L-BL-290	2w	10-29 V DC	ALU



# Casolux Marine light

Marine light system


Copyright N. krauss/Hamburg




## Megane-Screwless-Zoom - SS w/USB / Touch Dim / Memory



News



With USB C




IP	Lm/w	H	CCT	K	CRI	Dim	Indoor	USB
20	75	30 000	3000	>80	Touch Dim w/memory	Indoor	5V, 2A	

Product	Power	Input	Material
MEGANE-SL-Z-SS	1,8w	9-32 V DC	SS

## Megane-Screwless - SS w/Touch Dim / Memory



News



IP	angle	Lm/w	H	CCT	K	CRI	Dim	Indoor
20	40°	75	30 000	3000	>85	Touch Dim w/memory	Indoor	



Product	Power	Input	Material
MEGANE-SL-SS	1,8w	9-32 V DC	SS



## Megane-Screwless-Zoom ALU w/USB / Touch Dim / Memory



News




<b>IP</b> 20	<b>Lm/w</b> 75	<b>H</b> 30 000	<b>CCT</b> 3000 K	<b>CRI</b> >80	<b>Dim</b> Touch Dim w/memory	<b>Indoor</b>	<b>USB</b> 5V, 2Am
--------------	----------------	-----------------	-------------------	----------------	-------------------------------	---------------	--------------------

Product	Power	Input	Material
MEGANE-SL-Z-WH	1,8w	9-32 V DC	Alu
MEGANE-SL-Z-BL	1,8w	9-32 V DC	Alu

## Megane-Screwless ALU w/Touch Dim / Memory



News



<b>IP</b> 20	<b>angle</b> 40°	<b>Lm/w</b> 75	<b>H</b> 30 000	<b>CCT</b> 3000 K	<b>CRI</b> >85	<b>Dim</b> Touch Dim w/memory	<b>Indoor</b>
--------------	------------------	----------------	-----------------	-------------------	----------------	-------------------------------	---------------

Product	Power	Input	Material
MEGANE-SL-WH	1,8w	9-32 V DC	Alu
MEGANE-SL-BL	1,8w	9-32 V DC	Alu


# Casolux Marine light

Marine light system

## Mary EL Aluminium



News




IP 20	Lm/w 60	30 000 H	CCT 3000 K	CRI >85	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Power	Input	Material
MARY-Z-EL-TO-BL-USBC	1,8w	9-32 V DC	Alu

## Mary EL Stainless Steel



News




IP 20	Lm/w 60	30 000 H	CCT 3000 K	CRI >85	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Power	Input	Material
MARY-Z-EL-TO-SS-USBC	1,8w	9-32 V DC	ALU/SS

## Mary Wall Screwless



News




IP 20	angle 40°	Lm/w 70	40 000 H	CCT 3000 K	CRI >85	Indoor
-------	-----------	---------	----------	------------	---------	--------

Product	Frame	Power	Input	Material
MARY-SL-SS-WALL	SS	1,8w	9-32 V DC	SS
MARY-SL-GR-WALL	ALU	1,8w	9-32 V DC	ALU

## Mary Flex Mini Screwless - w/USB / Touch Dim / Memory



News




IP 20	angle 40°	Lm/w 77	50 000 H	CCT 3000 K	CRI >85	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	-----------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Flex	Power	Input	Material
MARY-SL-GR-FLEX-MINI	S-BL-130	1,8w	9-32V DC	Alu



## Mary Flex Mini - w/USB / Touch Dim / Memory



Stainless steel (SS) polished


Grey (GR)

Black (BL)



Product	Flex	Power	Input	Material
MARY-SS-FLEX-MINI	S-BL 130	1,8w	10-30V DC	SS
MARY-BL-FLEX-MINI	S-BL-130	1,5w	10-30V DC	Alu
MARY-GR-FLEX-MINI	S-BL-130	1,5w	10-30V DC	Alu

## Mary Wall - Classic version



Aluminum Gray (GR)




Aluminum Black (BL)



Product	Frame	Power	Input	Material
MARY-WALL-CLASSIC	GR	2w	10-30 V DC	Alu
MARY-WALL-CLASSIC	BL	2w	10-30 V DC	Alu

## Mary Flex Mini - Classic version



Stainless steel Brushed (SS-BR)



Grey (GR)




Black (BL)



Product	Power	Input	Material
MARY-MINI-CLASSIC-SS-BR	1,5w	10-30 V DC	SS
MARY-MINI-CLASSIC-(GR / BL)	2w	10-30 V DC	Alu

## Mary Flex - Classic version



Stainless steel (SS) polished



Black (BL)



Grey (GR)



Product	Power	Input	Material
MARY-CLASSIC-SS	1,5w	10-30 V DC	SS
MARY-CLASSIC-(GR / BL)	2w	10-30 V DC	Alu


# Casolux Marine light

Marine light system

## Oculus-Screwless




News




Product	Power	Input	Material
OCULUS-SL	3w	10-30 V DC	SS / Alu

Only manufactured on request. Contact Casolux for more information.

## Zoom-Screwless-Flex





With USB C



Product	Power	Input	Material
ZOOM-FLEX	1,8w	10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

## Zoom-Screwless



Product	Power	Input	Material
ZOOM	1,8w	10-30 V DC	Alu



Only manufactured on request. Contact Casolux for more information.



Copyright Rolf Nachbar




## Waco-Screwless



<b>IP</b> 54	<b>angle</b> 40°	<b>Lm/w</b> 90	<b>H</b> 50 000	<b>CCT</b> 3000 K	<b>CRI</b> >80	<b>Dim</b> PWM	<b>Indoor</b>
-----------------	---------------------	-------------------	--------------------	----------------------	-------------------	-------------------	---------------

<b>Product</b> WACO-TOUCH-DOWN	<b>Power</b> 3w	<b>Input</b> 10-30 V DC	<b>Material</b> Alu
-----------------------------------	--------------------	----------------------------	------------------------

## Samsoe




Black (BL)

<b>IP</b> 67	<b>angle</b> 40°	<b>Lm/w</b> 83	<b>H</b> 40 000	<b>CCT</b> 3000 K	<b>CCT</b> 4000 K	<b>CRI</b> >85	<b>Indoor/Outdoor</b>
-----------------	---------------------	-------------------	--------------------	----------------------	----------------------	-------------------	-----------------------

<b>Product</b> SAMSOE-FLEX-CW SAMSOE-FLEX-WW	<b>Power</b> 3w 3w	<b>Input</b> 10-30 V DC 10-30 V DC	<b>Material</b> Alu Alu
----------------------------------------------------	--------------------------	------------------------------------------	-------------------------------

## Mary Flex Special



Black (BL)

<b>IP</b> 20	<b>angle</b> 45°	<b>Lm/w</b> 80	<b>H</b> 40 000	<b>CCT</b> 3000 K	<b>CRI</b> >83	<b>Indoor</b>
-----------------	---------------------	-------------------	--------------------	----------------------	-------------------	---------------

<b>Product</b> MARY-FLEX-SPECIAL	<b>Power</b> 2w	<b>Input</b> 10-30 V DC	<b>Material</b> Alu
-------------------------------------	--------------------	----------------------------	------------------------




# Casolux Marine light

Marine light system

## Mary up/down



News



Aluminium Black with Stainless steel (SS) Case



Aluminium Black (BL)



Aluminium Silver (SI)


No Switch

News



Product	Frame	Power	Input	Material
MARY-UP-DOWN	SS	2 x 3w	10-30 V DC	Alu/SS
MARY-UP-DOWN	BL	2 x 3w	10-30 V DC	Alu
MARY-UP-DOWN	SI	2 x 5w	24 V DC	Alu

## Wallis Round - w/USB and Touch switch




mm	SMALL	LARGE
A	137	185
B	128	140
C	Ø110	Ø160
D	100	155



WALLIS-SMALL-ROUND



WALLIS-LARGE-ROUND




Stainless steel with fabric lamp shade



Product	Power	Input	Material
WALLIS-SMALL-ROUND	G4 LED Bulb 1,5w	10-30 V DC	SS
WALLIS-LARGE-ROUND	G4 LED Bulb 1,5w	10-30 V DC	SS

## Wallis Square - w/USB and Touch switch




mm	SMALL	LARGE
A	137	185
B	128	140
C1	110	160
C2	150	160
D	100	115



WALLIS-SMALL-SQUARE



WALLIS-LARGE-SQUARE




Stainless steel with fabric lamp shade



Product	Power	Input	Material
WALLIS-SMALL-SQUARE	G4 LED Bulb 1,5w	10-30 V DC	SS
WALLIS-LARGE-SQUARE	G4 LED Bulb 1,5w	10-30 V DC	SS

## Wallis Special - w/USB and Touch switch



Stainless steel with fabric lamp shade



Product	Power	Input	Material
WALLIS-SPECIAL	G4 LED Bulb 1,5w	10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.




## Mega Yacht lights

### Willa



### Wanda




Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WILLA	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.



Stainless steel with fabric lamp shade




Product code	LED bulb input / Power	Bulb Input / Power
WANDA-BED	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.

### Winnie



### Whitney




Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WINNIE	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.



Stainless steel with fabric lamp shade




Product code	LED bulb input / Power	Bulb Input / Power
WHITNEY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.

### Wendy



### Theresa




Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WENDY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.



Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
THERESA	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 60w

Only manufactured on request. Contact Casolux for more information.

# Casolux Marine light

Marine light system

## Win up/down




Optional with only light upwards or downwards



Product	Power	Input	Material
WIN-UP/DOWN	2xGU10 max35w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.


## Marian up/down



Product	Power	Input	Material
MARIAN-UP/DOWN	2x3w	10-18 V DC / 20-28 V DC	SS

Only manufactured on request. Contact Casolux for more information.


## Waki up/down



Product	Power	Input	Material
WAKI-UP/DOWN	1,2w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.


## Waki tube



Product	Power	Input	Material
WAKI-TUBE	5w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.


## Wilma



Product	Power	Input	Material
WILMA	3w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.

## Giulia




Can be made with printed-film surface with any requested motiv.



Product	Power	Input	Material
GIULIA-SS	3w	230 AC / Optional 10-30 V DC	SS/Acrylic

Only manufactured on request. Contact Casolux for more information.

## Hanne small up/down



Optional in round shape and other sizes



Product	Power	Input	Material
HANNE-S-UP/DOWN	2x3w	230 AC / Optional 10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

## Ward




Product	Power	Input	Material
Ward	1w	350mA	Alu/SS

Only manufactured on request. Contact Casolux for more information.



## West Up/Down



mm	A	B	C	D
S	100	100	50	60
M	80	100	50	60
L	80	150	50	60




**IP** 65   
 **angle** 2x60°   
 **Lm/w** 85   
 **H** 50 000   
 **CCT** 3000 K   
 **CRI** >80   
 **Indoor/Outdoor**

Product	Power	Input	Material
WEST-UP/DOWN-S	2x5w	220-240 V AC	SS
WEST-UP/DOWN-M	2x5w	220-240 V AC	SS
WEST-UP/DOWN-L	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

## West Special Up/Down



mm	A	B	C	D
S	80	150	50	60
L	100	200	50	60




**IP** 20   
 **angle** 2x60°   
 **Lm/w** 115   
 **H** 50 000   
 **CCT** 3000 K   
 **CRI** >80   
 **Indoor**

Product	Power	Input	Material
WEST-SPECIAL-S	2x5w	220-240 V AC	SS
WEST-SPECIAL-L	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

## West Square Up/Down



mm	A	B	C	D
S	80	100	50	60
M	100	100	50	60




**IP** 65   
 **angle** 2x60°   
 **Lm/w** 86   
 **H** 50 000   
 **CCT** 3000 K   
 **CRI** >80   
 **Indoor/Outdoor**

Product	Power	Input	Material
WEST-SQUARE-S	2x5w	220-240 V AC	SS
WEST-SQUARE-M	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

## West Surface



mm	SMALL	LARGE
A	80	150
B	120	300



**IP** 65   
 **angle** 60°   
 **Lm/w** 110   
 **H** 50 000   
 **CCT** 3000 K   
 **CRI** >80   
 **Indoor/Outdoor**


Product	Power	Input	Material
WEST-SURFACE-S	5w	220-240 V AC	SS
WEST-SURFACE-L	15w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

# Casolux Marine light

Marine light system

## Wade Special



Ø28




<b>IP</b> 20	<b>Lm/w</b> 60	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>CRI</b> >80	<b>Indoor</b>	<b>USB</b> 5V, 1Am
-----------------	-------------------	--------------------	-------------------------	-------------------	---------------	-----------------------

Product	Power	Input	Material
WADE-SPECIAL	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Wade Small Round



WADE-SMAL  
Ø25mm




WADE-SMALL  
Ø28mm

<b>IP</b> 20	<b>Lm/w</b> 85	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>Indoor</b>
-----------------	-------------------	--------------------	-------------------------	---------------

Product	Power	Input	Material
WADE-S-Ø25	1w	220-240 V AC	Alu/SS
WADE-S-Ø28	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Wade Small Square





WADE-SQUARE  
25x25

<b>IP</b> 20	<b>Lm/w</b> 85	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>Indoor</b>
-----------------	-------------------	--------------------	-------------------------	---------------

Product	Power	Input	Material
WADE-S-SQUARE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Wade Large




<b>IP</b> 20	<b>Lm/w</b> 41	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>Indoor</b>	<b>USB</b> 5V, 1Am
-----------------	-------------------	--------------------	-------------------------	---------------	-----------------------

Product	Power	Input	Material
WADE-L	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.



## Wade Surface



<b>IP</b> 20	<b>Lm/w</b> 113	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>Indoor</b>	<b>USB</b> 5V,1A
-----------------	--------------------	--------------------	-------------------------	---------------	---------------------


Product	Power	Input	Material
WADE-SURFACE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Wai Small



Small



<b>IP</b> 20	<b>Lm/w</b> 85	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>Indoor</b>
-----------------	-------------------	--------------------	-------------------------	---------------


Product	Power	Input	Material
WAI-SMALL	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Wai Large



Large




<b>IP</b> 20	<b>Lm/w</b> 48	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>Indoor</b>
-----------------	-------------------	--------------------	-------------------------	---------------

Product	Power	Input	Material
WAI-LARGE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Wren



<b>IP</b> 20	<b>Lm/w</b> 87	<b>H</b> 50 000	<b>CCT</b> K 3000	<b>Indoor</b>
-----------------	-------------------	--------------------	-------------------------	---------------


Product	Power	Input	Material
WREN	3w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

# Casolux Marine light

Marine light system

## Winry




<b>IP</b> 20	<b>Lm/w</b> 44	<b>H</b> 50 000	<b>CCT</b> 3000 K	<b>Indoor</b>
-----------------	-------------------	--------------------	----------------------	---------------

Product	Power	Input	Material
WINRY	3w+2,2w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Wright



<b>IP</b> 20	<b>Lm/w</b> 60	<b>H</b> 50 000	<b>CCT</b> 3000 K	<b>Indoor</b>
-----------------	-------------------	--------------------	----------------------	---------------


Product	Power	Input	Material
WRIGHT	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

## Olivia square



OLIVIA SQUARE SMALL  
Stainless steel (SS)




OLIVIA SQUARE  
Aluminium White (Alu-WH)

<b>IP</b> 65/67	<b>angle</b> 40°	<b>Lm/w</b> 68	<b>H</b> 50 000	<b>CCT</b> 3000 K	<b>CRI</b> >80	<b>Dim</b> PWM	<b>Indoor/Outdoor</b>
--------------------	---------------------	-------------------	--------------------	----------------------	-------------------	-------------------	-----------------------


Product	IP	Frame	Power	Input	Material
OLIVIA-SQ-SMALL	67	SS	3w	12-24 V DC	SS
OLIVIA-SQUARE	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

## Olivia round



OLIVIA ROUND SMALL  
Stainless steel (SS)



OLIVIA ROUND  
Aluminium White (Alu-WH)



OLIVIA ROUND SMALL  
Aluminium White (Alu-WH)


<b>IP</b> 65/67	<b>angle</b> 40°	<b>Lm/w</b> 68	<b>H</b> 50 000	<b>CCT</b> 3000 K	<b>CRI</b> >80	<b>Dim</b> PWM	<b>Indoor/Outdoor</b>
--------------------	---------------------	-------------------	--------------------	----------------------	-------------------	-------------------	-----------------------

Product	IP	Frame	Power	Input	Material
OLIVIA-RO-SMALL	67	SS	3w	12-24 V DC	SS
OLIVIA-RO-SMALL	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu
OLIVIA-ROUND	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu

Only manufactured on request. Contact Casolux for more information.



## Bedside 230v




VERSION A

VERSION B



Product	Power (LED)	Input	Material
BEDSIDE-WH-A	1,8w	220-240 V AC	Alu/SS
BEDSIDE-WH-B	1,8w	220-240 V AC	Alu/SS

## Bedside - Wireless charger



White

Black

Wireless charger and USB charger



Product	Frame	Power	Input	Material
BEDSIDE-WIRELESS-BLACK	Alu	1,5w	230 AC / 10-32 V DC	Alu
BEDSIDE-WIRELESS-WHITE	Alu	1,5w	230 AC / 10-32 V DC	Alu


Only manufactured on request. Contact Casolux for more information.



# Casolux Marine light

Marine light system

## Malou 90




Stainless steel (SS)



Product	Frame	Power	Input	Material
MALOU-90	SS	6w	500mA	SS/Alu
MALOU-90-DUO	SS	6w/6w	500mA	SS/Alu

Only manufactured on request. Contact Casolux for more information.

## Gitte




Available with different fronts



Product	Beam angle	Frame	Power	Input	Material
GITTE	120°	Alu	6w	350mA	SS/Alu

Only manufactured on request. Contact Casolux for more information.


## Dita



Product	Frame	Power	Input	Material
DITA	Alu-BL	15w	200-240 V AC	Alu

Only manufactured on request. Contact Casolux for more information.

## Dita Double Square





Product	Frame	Power	Input	Material
DITA-DOUBLE-SQ	Alu-BL	12w	200-240 V AC	Alu

Only manufactured on request. Contact Casolux for more information.




## Lilleholm 90



<b>IP</b> 55	<b>angle</b> 90°	<b>Lm/w</b> 90	<b>H</b> 40 000	<b>CCT K</b> 2700	<b>CCT K</b> 3000	<b>CCT</b> WW/RED	<b>CRI</b> >90	<b>Dim</b> PWM	<b>Indoor</b>	<b>Driver</b>
-----------------	---------------------	-------------------	--------------------	----------------------	----------------------	----------------------	-------------------	-------------------	---------------	---------------

Product	Frame	Power	Input	Material
LILLEHOLM-90	SS / SS-BR	10w	350mA	SS/Alu
LILLEHOLM-90-DUO	SS / SS-BR	10w/10w	350mA	SS/Alu


## Lilleholm 205



<b>IP</b> 55	<b>angle</b> 90°	<b>Lm/w</b> 95	<b>H</b> 50 000	<b>CCT K</b> 3000	<b>CRI</b> >90	<b>Dim</b> PWM	<b>Indoor</b>	<b>Driver</b>
-----------------	---------------------	-------------------	--------------------	----------------------	-------------------	-------------------	---------------	---------------

Product	Frame	Power	Input	Material
LILLEHOLM-205	WH (RAL 9003)	30w	840mA	Alu
LILLEHOLM-205	WH (RAL 9010)	30w	840mA	Alu

## Devi



mm	A	B
Ø100	100	90
Ø120	120	100
Ø150	150	110




<b>IP</b> 65	<b>angle</b> 60°	<b>Lm/w</b> 115	<b>H</b> 50 000	<b>CCT K</b> 3000	<b>CRI</b> >80
-----------------	---------------------	--------------------	--------------------	----------------------	-------------------

Product	Frame	Power	Input	Material
DEVI-Ø100	SS	10w	220-240 V AC	SS
DEVI-Ø120	SS	15w	220-240 V AC	SS
DEVI-Ø150	SS	20w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

## Dia



mm	Ø80	Ø100	Ø120	Ø150
A	80	100	120	150
B	80	85	95	110



<b>IP</b> 20/65	<b>angle</b> 60°	<b>Lm/w</b> 115	<b>H</b> 50 000	<b>CCT K</b> 3000	<b>CRI</b> >80
--------------------	---------------------	--------------------	--------------------	----------------------	-------------------


Product	IP	Frame	Power	Input	Material
DIA-Ø80	20/65	SS	10w	220-240 V AC	SS
DIA-Ø100	65	SS	10w	220-240 V AC	SS
DIA-Ø120	65	SS	15w	220-240 V AC	SS
DIA-Ø150	65	SS	20w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.



## Motorhome lights

### Rikke 1,3w Non Dimmable



Chrome (CH)




White (WH)



Product	Frame	Power	Input Volt	Material
RIKKE	CH	1,3W	10-32V AC/DC	Plastic
RIKKE	WH	1,3W	10-32V AC/DC	Plastic

### Rikke 1,5w Dimmable



Chrome (CH)




White (WH)



Product	Frame	Power	Input Volt	Material
RIKKE-DIM	CH / WH	1,5W	10-32V AC/DC	Plastic
RIKKE-DIM-RED	CH / WH	1,5W <span style="color:red">●</span>	10-32V AC/DC	Plastic

## Rie



	Rie Small	Rie
A	Ø48mm	Ø70mm
B	9,5mm	9,5mm



RIE-SMALL




RIE



Product	Frame	Power	Input	Material
RIE-SMALL	Plastic-Chrome	1w	10-18 / 10-30 V DC	Plastic
RIE	Plastic-Chrome	1,8w	10-18 / 10-30 V DC	Plastic

Only manufactured on request. Contact Casolux for more information.


## Molly Downlight - w / Touch



Product	Frame	Power	Input	Material
MOLLY-DOWNLIGHT	Plastic-Chrome	2w	12 V DC	Plastic

Only manufactured on request. Contact Casolux for more information.

## Molly - Round - Mini Panel



MOLLY ROUND  
Steel (S)




Steel and plastic body.  
Magnetic front frame



Product	Frame	Power	Input	Material
MOLLY-ROUND	S	2,6w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

## Molly - Square - Mini Panel



MOLLY SQUARE  
Steel (S)




Product	Frame	Power	Input	Material
MOLLY-SQUARE	S	2,6w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

# Casolux Marine light

Marine light system

## Mona - Plastic Panel light



	Mini	Medium
A	170mm	270mm
B	45mm	65mm
C	17mm	17mm



MONA-MINI




MONA-MEDIUM



Product	Power	Input	Material
MONA-MINI-PANEL	2,4w	10-30 V DC	Alu/Plastic
MONA-MEDIUM-PANEL	4,8w	10-30 V DC	Alu/Plastic

## Mona - Aluminum Panel Light




On / OFF Touch switch



Product	Power	Input	Material
MONA-LIGHT-BAR-CW (4000K)	6w	10-32 V DC	Alu/Plastic
MONA-LIGHT-BAR-WW(3000K)	6w	10-32 V DC	Alu/Plastic


## Mocca - Square - Mini Panel



MOCCA-SQUARE  
Grey (GR)



MOCCA-SQUARE  
Black (BL)




Plastic body in Black.  
Magnetic front frame



Product	Frame	Power	Input	Material
MOCCA-SQUARE	GR	2,4w	10,5-16,5 / 10-30 V DC	Plastic/Alu
MOCCA-SQUARE	BL	2,4w	10,5-16,5 / 10-30 V DC	Plastic/Alu

Only manufactured on request. Contact Casolux for more information.

## Mocca - Rectangel - Mini Panel



mm	A	B	C
MOCCA 100x300	100	300	7
MOCCA 65x200	65	200	7
MOCCA 110x190	110	190	7



MOCCA-RECTANGEL  
100 x 300 Grey (GR)



MOCCA-RECTANGEL  
65 x 200 Steel (S)



MOCCA-RECTANGEL  
110 x 190 Steel (S)



MOCCA-RECTANGEL  
65 x 200 Black (BL)


Steel or Plastic body.  
Magnetic front frame



Product	Frame	Power	Input	Material
MOCCA-RECTANGEL-100x300	GR	7,2w	10,5-16,5 / 10-30 V DC	Plastic/Alu
MOCCA-RECTANGEL-65x200	S / BL	4w	10,5-16,5 / 10-30 V DC	Plastic/Steel
MOCCA-RECTANGEL-110x190	S	4,8w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

Cabinet light - Square



Product	Power	Input	Material
CABINET-SQUARE-192x112	6w	10-16 V DC	Alu




Copyright Rolf Nachbar

## LED STRIPS


### LED Flexibel Strip IP Grade



### LED Flexibel Neon strip




### LED Flexibel Neon strip with Wings



### Round Neon strip




## COB Led-Flexible Strip - IP20



Product	Led's pr.meter	Power	Input
COB-IP20-5MM	480 pcs	4 / 7 w/m	12 / 24 V DC
COB-IP20-8MM	480 pcs	9 w/m	12 / 24 V DC
COB-IP20-10MM	480 pcs	10 w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


## COB Led-Flexible Strip - RGB - IP20



Product	Led's pr.meter	Power	Input
COB-IP20-RGB	896 pcs	20w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

## COB Led-Flexible Silicone Strip - IP67





UV protected



Product	Led's pr.meter	Power	Input
COB-IP67-10x5	480 pcs	4 / 7 w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

## COB Led-Flexible Silicone Strip - IP67 - Opal Silicone Sleeve




UV protected



Product	Led's pr.meter	Power	Input
COB-IP67-10x5-opal	480 pcs	4 / 7 w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

## COB Led-Flexible Silicone Strip - IP68





UV protected



Product	Led's pr.meter	Power	Input
COB-IP68-10x5	480 pcs	4 / 7 w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

## Led-Flexible PU Strip 8x9,6mm Sideway 10W IP68



Saltwater, UV and High temperature resistant.




Product	Lenght	Power	Input
CALL24V-8x9,5	5m	8w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

## Led-Flexible PU Strip 10x10mm 10W IP68



Saltwater, UV and High temperature resistant.



Saltwater, UV and High temperature resistant.




Product	Power	Input
CALL24V-IP68-10x10	10w/m	24 V DC
CALL24V-IP68-10x10-WW/RED	10w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.




## Led-Flexible High Power Strip - IP20



Product	Led's pr.meter	Power	Input
Line LED-9,6W-IP20	160 pcs	9,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


## Led-Flexible Strip - IP54



Product	Led's pr.meter	Power	Input
CALL-12	60 pcs	4,8w/m	12 V DC
CALL-24	60 pcs	4,8w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


## Led-Flexible PU Glue Potted Strip - IP64



Product	Led's pr.meter	Power	Input
CALL-PU-GLUE	120 pcs	9,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.



## Led-Flexible Side View PU Glue Potted Strip - IP64



Product	Led's pr.meter	Power	Input
CALL-SIDEVIEW-PU-GLUE	60 pcs	4,8w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


## Led-Flexible - Milky White Silicone Strip - IP65



Product	Led's pr.meter	Power	Input
CALL-24-MILKY-FLAT	280 pcs	8w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


## Led-Flexible Silicone Strip - IP67



Product	Led's pr.meter	Power	Input
CALL-IP67-R-10x5	60 pcs	4,8w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

## Led-Flexible Silicone NEON Strip - 10x10 - w/Wings - IP54




UV and Flame resistant.



Product	Led's pr.meter	Power	Input
CALL-NEON-WINGS-10x10	120 pcs	8,8w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

## Led-Flexible Silicone NEON Strip - Sideway - w/Wings - IP54



	Small	Medium
A	3mm	6mm
B	6mm	12mm




UV and Flame resistant.




Product	Led's pr.meter	Power	Input
CALL-NEON-WINGS-3x6	120 pcs	5w/m	24 V DC
CALL-NEON-WINGS-6x12	120 pcs	5w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

## Led-Flexible - Silicone Neon Strip - Round - IP65



Bending 360°



	Small	Medium
A	Ø15mm	Ø22mm



UV protected



Product

CALL-NEON-ROPE-Ø15  
CALL-NEON-ROPE-Ø22

Only manufactured on request. Contact Casolux for more information.


Input

24 V DC  
24 V DC

## Led-Flexible Silicone NEON Strip - 6x6mm - IP65



Bending Up / Down



Product

CALL12V-NEON-6x6  
CALL12V-NEON-6x6

Length

300mm  
5m

Led's pr.meter

210 pcs  
210 pcs


Power

7,2w/m  
7,2w/m


Input

12 V DC  
12 V DC

## Led-Flexible Silicone NEON Strip - 10x10mm - IP67



Bending Up / Down



Saltwater, UV and Flame resistant.



Product

CALL-NEON-4W-10x10

Led's pr.meter

150 pcs

Power

4w/m


Input

12 / 24 V DC

Lengths/Watts/CCT can be manufactured on request. Contact Casolux for more information.




## Led-Flexible Silicone NEON Strip - 4x11mm - Sideway - IP67



Product	Led's pr.meter	Power	Input
CALL-MILKY-SIDWAY	128 pcs	7,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


## Led-Flexible Silicone NEON Strip - 4,2x10,4mm - Sideway - IP67



Product	Led's pr.meter	Power	Input
CALL-4,2x10,4-3M TAPE	128 pcs	7,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

## Led-Flexible Silicone NEON Strip - 8x7mm - Sideway - IP67




Saltwater, UV and Flame resistant.



Product	Led's pr.meter	Power	Input
CALL12V-NEON-8x7	140 pcs	4w/m	12 V DC
CALL24V-NEON-8x7	140 pcs	4w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

## Led-Flexible Silicone NEON Strip - 3D Bending - IP67



	Small	Medium	Large
A	8mm	10mm	16mm
B	8mm	10mm	15mm



Saltwater, UV and Flame resistant.




Product	Led's pr.meter	Power	Input
CALL24v-3D-8x8	120 pcs	10w/m	24 V DC
CALL24v-3D-10x10	120 pcs	10w/m	24 V DC
CALL24v-3D-16x15	120 pcs	10w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.






## Langeland



LANGELAND ALUMINUM




LANGELAND SS




Stainless Steel (SS)

Gray Aluminium (Alu)




Product	Power	Input Volt	Material
LANGELAND-SS	11,5w	24 V DC	SS
LANGELAND-Alu	11,5w	24 V DC	Alu

## Underwater Drain Light



Product	Power	Input	Material
UNDERWATER-4500K	6w	12V DC	PA
UNDERWATER-BLUE	6w	12V DC	PA

## Underwater Light Surface Mounted



	Small	Large
Length	210mm	290mm
Width	80mm	110mm
Depth	30mm	30mm



Small




Large



Product	Power	Input	Material
UNDERWATER-SMALL	10w	12V AC/DC	PLA
UNDERWATER-LARGE	20w	12V AC/DC	PLA

## Spirholm



Stainless Steel (SS)



Product	Power	Input	Material
SPIRHOLM	15w	24 V DC	SS

Only manufactured on request. Contact Casolux for more information.

# Casolux Marine light

Marine light system

Copyright Rolf Nachbar



## Illuminated Sign




Customized LED illuminated signs.

Three-dimensional lettering, personalized logos and symbol design.  
316 grade mirror-polished stainless steel.  
Halo light effects, side or edge lighting, back lighting or front lighting.

Contact [tg@casolux.com](mailto:tg@casolux.com) for more information.



## Cabinet light - Round



Bottom w/charger input

Top w/Finger Touch



Brakctet for screw, with magnet and 3M tape


- Short touch:
- 1 4000K
  - 2 6000K
  - 3 3000K
  - 4 flashing light
  - 5 OFF
- Long press: Stepless dimming



Product	Power	Battery	Input	Material
CABINET-RO	2,3w	3,7 V. 2000mAh	5 V. 800 mA	Alu

## Pia Magnetic

## Emergency light with Remote control



Micro USB input

- Step:
- 1 White light 3%
  - 2 White light 100%
  - 3 OFF
- Long press Power off

- Dobble press for Red light
- 1 Red light 100%
  - 2 flashing light OFF
  - 3 OFF




Infrared Remote control



Product	Power	Battery	Input	Material
PIA-REMOTE	1w	3,7 V. 2000mAh	5 V. 700 mA	PC

## Pia

## Emergency light and Powerbank



	PIA SMALL	PIA LARGE
Length	143mm	262mm
Weight	130g	210g



PIA SMALL  
In magnet holder



PIA LARGE

- PIA-SMALL
- Step:
- 1 White light 10%
  - 2 White light 100%
  - 3 Red light 100%
  - 4 Red flash 100%
  - 5 SOS 100%
  - 6 OFF

- PIA LARGE
- Step:
- 1 White light 8%
  - 2 White light 30%
  - 3 White light 100%
  - 4 Flash 8%
  - 5 OFF

Micro USB input




USB output



Product	Power	Battery	Input	Material
PIA-SMALL	1w	3,7 V. 2600mAh	5 V. 800 mA	PC
PIA-LARGE	3w	3,7 V. 5200mAh	5 V. 2000 mA	PC

## Elin small

## Magnetic induction



Optional in different light colours and beam angles

Electromagnetic induction plug and socket. No cabel



Product	Power	Input	Material
ELIN-SMALL	3w	230 V AC / 24 V DC	SS/Nylon

Only manufactured on request. Contact Casolux for more information.

## Led Bulb


## G4 Replacement for halogen bulbs



CABU-G4-M11



CABU-G4-M12



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M11	0,8w	10-30 V DC	60-90	360	10mm	19mm	30mm
CABU-G4-M12	1w	10-30 V DC	110-130	360	10mm	29mm	39mm

## Led Bulb


## G4 Replacement for halogen bulbs



CABU-G4-M13



CABU-G4-M14



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M13	1w	10-30 V DC	80-100	360	10mm	26mm	36mm
CABU-G4-M14	1,1w	10-30 V DC	90-110	180	11mm	24mm	30mm

## Led Bulb


## G4 Replacement for halogen bulbs



CABU-G4-M15



CABU-G4-M17



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M15	1,5w	10-30 V DC	150-170	360	13mm	28mm	38mm
CABU-G4-M17	1,1w	10-30 V DC	100-120	360	10mm	19mm	30mm

## Led Bulb


## G4 Replacement for halogen bulbs



CABU-G4-M18



CABU-G4-HL



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M18	1,6w	10-30 V DC	180-200	180	10mm	29mm	39mm
CABU-G4-HL	2,5w	10-30 V DC	250-300	360	13mm	33mm	43mm



Sønderborg  
Denmark

# CASOLUX®

*The lights of tomorrow*

[info@casolux.com](mailto:info@casolux.com)

[www.casolux.com](http://www.casolux.com)

Tlf. +45 7445 0005

6400 Sønderborg

Denmark