

CASOLUX®

The lights of tomorrow



Casolux General light

General light system



Find datablade og installations
specificationer for alle lamper
på www.casolux.com



Sort

Hvid

Lumen

390 lm

Farvetemperatur

3000 K

RA-værdi

> 83

LED fabrikat

Philips

Tilvalg

Dæmper

IP65

230 Volt

6 Watt



65 Lm/w

CE

CECILJE-AL-SQ-BL-6W-WW-IP65

CECILJE-AL-SQ-WH-6W-WW-IP65

Anodiseret aluminium 50 µm



www.casolux.com/produkt/cecilje/



Grå

Lumen

470 lm

Farvetemperatur

2700 K

RA-værdi

> 83

LED fabrikat

Philips

Tilvalg

Dæmper

IP65

230 Volt



6 Watt

80 Lm/w


CE

HANNE-AL-SQ-GR-6W-WW-IP65

Anodiseret aluminium 50 µm



www.casolux.com/produkt/hanne-firkantet



De fire spjæld er justerbare uafhængig af hinanden



Sort

Hvid

Grå

Lumen

320 lm

Farvetemperatur

2700 K

RA-værdi

> 83

LED fabrikat

Philips

IP65

230 Volt

6 Watt

53 Lm/w



CE

LERKE-SQ-BL-2700K

LERKE-SQ-WH-2700K

LERKE-SQ-GR-2700K

Anodiseret aluminium 50 µm



www.casolux.com/produkt/lerke-firkantet/



Sort

Hvid

Grå

Lumen

320 lm

Farvetemperatur

2700 K

RA-værdi

> 83

LED fabrikat

Philips

IP65

230 Volt

6 Watt

53 Lm/w



CE

LERKE-OV-BL-2700K

LERKE-OV-WH-2700K

LERKE-OV-GR-2700K

Anodiseret aluminium 50 µm



www.casolux.com/produkt/lerke-oval/



Sort

Hvid

Lumen

420 lm

Farvetemperatur

3000 K

RA-værdi

> 83

LED fabrikat

Philips

Tilvalg

Dæmper

IP20

230 Volt

6 Watt



70 Lm/w

CE

HEIDI-AL-BL6W-WW-IP20

HEIDI-AL-WH-6W-WW-IP20

Anodiseret aluminium 50 µm



www.casolux.com/produkt/heidi/

CASOLUX®

The lights of tomorrow

©2016 CASOLUX ApS

Borrevej 18
6400 Sønderborg
Tlf. +45 7445 0005

CVR 35038477

www.casolux.com